




# **EXSYS<sup>®</sup>** **EPPINGER**

## Tooling Catalog




**DMG MORI**


EXSYS Tool, Inc.  
11654 Corporate Lake Blvd.  
San Antonio, Florida 33576  
P : 352.588.4345 F : 352.588.4821  
[www.exsys-tool.com](http://www.exsys-tool.com)




## Dura Turn 2050 / 2550 MC NT3100 / 3200




**7.073.480 External Coolant**  
**7.073.482 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECI-FLEX®**




**7.073.483 External Coolant**  
**7.073.484 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECI-FLEX®**



**7.073.485 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER25  
• **PRECI-FLEX®**




**7.074.775 External Coolant**  
• Drilling and Milling Head  
• Axial, Angular Adjustable  
• Collet Chuck, ER16  
• **PRECI-FLEX®**




**7.076.175 External Coolant**  
**7.076.180 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECI-FLEX®**


## ZT1000 / 1500




**3.200.765 External Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER20  
• **PRECI-FLEX®**



**3.200.766 External Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand  
• Collet Chuck, ER20  
• **PRECI-FLEX®**




**3.200.792 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER20  
• **PRECI-FLEX®**




**3.200.900 External Coolant**  
• Drilling and Milling Head  
• Axial, Angular Adjustable  
• Collet Chuck, ER16  
• **PRECI-FLEX®**


## ZT2500



**4.201.255 External Coolant**  
**4.201.354 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand  
• Collet Chuck, ER40  
• **PRECI-FLEX®**




**4.201.265 External Coolant**  
**4.201.355 Internal Coolant**  
• Drilling and Milling Head  
• Axial, Mono  
• Collet Chuck, ER40  
• **PRECI-FLEX®**




**4.201.270 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER40  
• **PRECI-FLEX®**


## NL / NLX1500 / 2000 / 2500 / 3000 / 4000 (BMT60) 12 Station NT4200 / 5400




**7.075.710 External Coolant**  
**7.075.945 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER40  
• **PRECI-FLEX®**




**7.075.755 External Coolant**  
**7.076.010 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER40  
• **PRECI-FLEX®**




**7.072.320 External Coolant**  
**7.170.710 Internal Coolant**  
• Drilling and Milling Head  
• Axial, Angular Adjustable  
• Collet Chuck, ER32  
• **PRECI-FLEX®**




**7.072.325 External Coolant**  
**7.170.480 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck (Ext-ER40 / Int-ER32)  
• **PRECI-FLEX®**




**7.073.495 External Coolant**  
**7.073.520 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Dual (Side-By-Side)  
• Collet Chuck, ER32  
• **PRECI-FLEX®**



**7.076.335 External Coolant**  
**7.076.400 Internal Coolant**  
• Drilling and Milling Head  
• Axial, Dual (Side-By-Side)  
• Collet Chuck, ER25  
• **PRECI-FLEX®**




**7.073.079 External Coolant**  
• Turning Tool Holder  
• Double Sided  
• Main/Sub Spindle



**7.073.080 External Coolant**  
• Face Turning Tool Holder  
• Right Hand and Left Hand  
• Main/Sub Spindle



**7.073.076 Ext & Int Coolant**  
• Boring Bar Holder  
• 1 1/2" Bore (38.1mm)  
• Right Hand / Left Hand




**7.073.077 Ext & Int Coolant**  
• Boring Bar Holder  
• 2" Bore (50.8mm)  
• Right Hand / Left Hand




**7.073.078 External Coolant**  
• OD Turning Tool Holder  
• 1" (25.4mm) Square Shank  
• Offset

## NL / NLX1500 / 2000 / 2500 / 3000 / 4000 (BMT60) 12 Station NT4200 / 5400 (Cont.)




**7.073.322 External Coolant**  
• Cut-off Tool Holder  
• Axial, Left Hand Offset  
• Height Adjustable System Iscar and Coromant




**7.074.932 External Coolant**  
• Cut-off Tool Holder  
• Axial, Left Hand Offset  
• Height Adjustable, Overhead System Iscar and Coromant


## NLX2500 - VDI30 Turret




**3.200.765 External Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER20  
• **PRECI-FLEX®**




**3.200.766 External Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand  
• Collet Chuck, ER20  
• **PRECI-FLEX®**




**3.200.792 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER20  
• **PRECI-FLEX®**




**3.200.900 External Coolant**  
• Drilling and Milling Head  
• Axial, Angular Adjustable  
• Collet Chuck, ER16  
• **PRECI-FLEX®**




**7.030.549**  
• Turning Tool Holder  
• Double Sided  
• 20mm Sq. Shank




**FTTH.3020ZT1000**  
• Turning Tool Holder  
• Right Hand  
• 20mm Sq. Shank



**BBH.31.7530ZT1000**  
• Boring Bar Holder  
• 31.75mm (1 1/4")  
• External and Internal Coolant




**RTTH.2030ZT1000**  
• Turning Tool Holder  
• Right Hand & Left Hand Rotation  
• 20mm Sq. Shank




**LTTH.2030ZT1000**  
• Turning Tool Holder, Overhead  
• Right Hand & Left Hand Rotation  
• 20mm Sq. Shank

Don't see what you need? More tooling available on our website


## NZ1500 / 2000 - NL1500 CC - 20 Position Turret




**7.075.800 External Coolant**  
**7.075.705 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECIFLEX®**




**7.076.175 External Coolant**  
**7.076.180 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECIFLEX®**




**7.076.198 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER32  
• **PRECIFLEX®**




**7.073.480 External Coolant**  
**7.073.482 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECIFLEX®**




**7.073.483 External Coolant**  
**7.073.484 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECIFLEX®**



**7.073.485 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER25  
• **PRECIFLEX®**




**7.074.775 External Coolant**  
• Drilling and Milling Head  
• Axial, Angular Adjustable  
• Collet Chuck, ER16




**7.075.922 External Coolant**  
• Cut-off Tool Holder  
• Axial, Left Hand Offset  
• Height Adjustable System Iscar and Coromant

## NL / NLX1500 (BMT40) NRX 2000MC (BMT40) 10 Station NT3100-3200 (BMT40) NTX1000 (BMT40) NTX2000 (BMT40) NZ/NZX1500/2000 (BMT40) 16 / 20 Station Turret




**7.075.800 External Coolant**  
**7.075.705 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECIFLEX®**




**7.076.175 External Coolant**  
**7.076.180 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECIFLEX®**


## NL / NLX1500 (BMT40) NRX 2000MC (BMT40) 10 Station NT3100-3200 (BMT40) NTX1000 (BMT40) NTX2000 (BMT40) NZ/NZX1500/2000 (BMT40) 16 / 20 Station Turret (Cont.)




**7.076.198 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER32  
• **PRECIFLEX®**




**7.073.480 External Coolant**  
**7.073.482 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECIFLEX®**





**7.073.483 External Coolant**  
**7.073.484 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECIFLEX®**




**7.073.485 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER25  
• **PRECIFLEX®**  
**SBBH.31.75BMTDNLX80X125**  
External and Internal Coolant  
• Boring Bar Holder  
• 1.25" Bore (31.75mm)  
• Offset of 70mm in X-Direction  
• Offset of 132mm in X-Direction  
• Collet Chuck, ER16




**7.075.922 External Coolant**  
• Cut-off Tool Holder  
• Axial, Left Hand Offset  
• Height Adjustable System Iscar and Coromant




**LTH.25.4BMTNLX70**  
External Coolant  
• Left Hand Turning Tool Holder  
• 1" Square Shank (25.4mm)




**BBH.31.75BMTDNLX70X132**  
External and Internal Coolant  
• Boring Bar Holder  
• 1.25" Bore (31.75mm)  
• Offset of 70mm in X-Direction  
• Offset of 132mm in X-Direction




## NT3100 / 3200 (BMT40)




**7.075.800 External Coolant**  
**7.075.705 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECIFLEX®**




**7.076.175 External Coolant**  
**7.076.180 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECIFLEX®**




**7.076.198 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER32  
• **PRECIFLEX®**




**7.073.480 External Coolant**  
**7.073.482 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER25  
• **PRECIFLEX®**




**7.073.483 External Coolant**  
**7.073.484 Internal Coolant**  
• Drilling and Milling Head  
• Radial, Left Hand - Right Hand  
• Collet Chuck, ER25  
• **PRECIFLEX®**



**7.073.485 External Coolant**  
• Drilling and Milling Head  
• Radial, Double Sided  
• Collet Chuck, ER25  
• **PRECIFLEX®**




**7.074.775 External Coolant**  
• Drilling and Milling Head  
• Axial, Angular Adjustable  
• Collet Chuck, ER16




**7.075.922 External Coolant**  
• Cut-off Tool Holder  
• Axial, Left Hand Offset  
• Height Adjustable System Iscar and Coromant

## SL150 / 200 / 250



**7.072.330 External Coolant**  
**7.074.773 Internal Coolant**  
• Drilling and Milling Head  
• Radial Collet Chuck, ER32  
• **PRECIFLEX®**



**7.074.070 External Coolant**  
**7.074.072 Internal Coolant**  
• Drilling and Milling Head  
• Axial Collet Chuck, ER32  
• **PRECIFLEX®**