



EXSYS[®] EPPINGER


Tooling Catalog




EXSYS Tool, Inc.
11654 Corporate Lake Blvd.
San Antonio, Florida 33576
P : 352.588.4345 F : 352.588.4821
www.exsys-tool.com

BMT45


- Lynx 220
- Puma MX1600




7.073.120 External Coolant
7.073.358 Internal Coolant
 • Drilling and Milling Head
 • Axial, Collet Chuck, ER20, CC
 • **PRECI-FLEX®**




7.073.267 External Coolant
7.073.359 Internal Coolant
 • Drilling and Milling Head
 • Radial, Left Hand
 • Collet Chuck, ER20, CC
 • **PRECI-FLEX®**




7.075.555 External Coolant
7.075.556 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER20, CC
 • **PRECI-FLEX®**




7.075.684 External Coolant
 • Drilling and Milling Head
 • Radial, Double Sided
 • Collet Chuck, ER20, CC
 • **PRECI-FLEX®**




7.075.005 External Coolant
7.075.875 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER20, Offset, CC
 • **PRECI-FLEX®**




7.073.606 External Coolant
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER16, CC
 • **PRECI-FLEX®**




7.077.985 External Coolant
 • Drilling and Milling Head
 • Dual Axial, Y-Axis Offset
 • Collet Chuck, ER16, CC
 • **PRECI-FLEX®**




7.077.995 External Coolant
 • Drilling and Milling Head
 • Dual Radial, Y-Axis Offset
 • Collet Chuck, ER16, CC
 • **PRECI-FLEX®**




7.077.150 External Coolant
 • Device for Gear
 • Cutter Arbor Ø22mm
 • Angular Adjustable ±20°
 • Ratio : 1:1; 600RPM
 • Torque : 25Nm




7.077.266 External Coolant
 • Device for Gear
 • Cutter Arbor Ø22mm
 • Angular Adjustable ±20°
 • Ratio : 2:1; High Torque, CC
 • Torque : 45Nm




7.074.256 Ext. Coolant (3/4")
7.074.610 Ext. Coolant (20mm)
 • Type I Axial
 • OD Tool Holder
 • Axial Left Hand Offset
 • Rectangular Transverse




7.074.616 Ext. Coolant (20mm)
 • Type II Axial
 • OD Tool Holder
 • Radial Right Hand / Left Hand
 • Rectangular Transverse
 • Available in 3/4"




7.074.255 Ext / Int Coolant
 • Boring Bar Holder
 • Right Hand / Left Hand
 • 32mm Bore
 • Available in 1 1/4"




7.075.572 External Coolant
 • Double OD Tool Holder
 • Axial, Multiple Rectangular
 • Transverse
 • Available in 3/4"




7.075.575 Ext / Int Coolant
 • Cut-off Tool Holder
 • Axial, Right Hand / Left Hand
 • System Iscar and Coromant




7.077.195
 • Steel Blanking Plate




7.078.613 External Coolant
7.078.580 Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight, CC
 • **Compacto C3 (PSC32)**




7.078.626 External Coolant
7.078.630 Internal Coolant
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C3 (PSC32)**




7.077.588 - Right Hand
7.077.589 - Left Hand
 • Boring Bar Holder / Face
 • External / Internal Coolant
 • **Compacto C3 (PSC32)**




7.077.590 - Right Hand
7.077.591 - Left Hand
 • Face Tool Holder
 • Double Sided Version
 • External / Internal Coolant
 • **Compacto C3 (PSC32)**



7.077.584 - Right Hand
7.077.585 - Left Hand
 • OD Tool Holder
 • Flush Mount Version
 • External / Internal Coolant
 • **Compacto C3 (PSC32)**




7.077.560 - Right Hand
7.077.583 - Left Hand
 • OD Tool Holder
 • Extended Version
 • External / Internal Coolant
 • **Compacto C3 (PSC32)**




7.077.586 - Right Hand
7.077.587 - Left Hand
 • OD Tool Holder
 • Double Version
 • External / Internal Coolant
 • **Compacto C3 (PSC32)**

BMT55


- Lynx 300
- Puma 230 / 240 / 280
- Puma 1500 / 2000 / 2500
- Puma 2100 / 2600 / 3100
- Puma TL2000 / TL2500
- Puma TT1500 / TT1800
- Puma MX2100
- Puma GT2100
- Puma QL200H
- Puma H250T




7.073.118 External Coolant
7.073.360 Internal Coolant
 • Drilling and Milling Head
 • Axial, Collet Chuck, ER25, CC
 • **PRECI-FLEX®**




7.073.280 External Coolant (TT)
7.073.362 Internal Coolant (TT)
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER25, TT Series, CC
 • **PRECI-FLEX®**




7.073.270 External Coolant
7.073.361 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER25, CC
 • **PRECI-FLEX®**




7.073.281 External Coolant
7.073.363 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER25, Offset, CC
 • **PRECI-FLEX®**




7.073.607 External Coolant
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER20, CC
 • **PRECI-FLEX®**




7.073.611 External Coolant
7.077.128 External Coolant (TT)
 • Drilling and Milling Head
 • Radial, Double Sided
 • Collet Chuck, ER25, CC
 • **PRECI-FLEX®**




7.076.690 External Coolant
 • Drilling and Milling Head
 • Dual Axial, Y-Axis Offset
 • Collet Chuck, ER20, CC
 • **PRECI-FLEX®**



7.076.700 External Coolant
 • Device for Gear Hobbing
 • Cutter Arbor Ø22mm
 • Angular Adjustable ±20°
 • Ratio : 2:1; High Torque, CC
 • Torque : 45Nm




7.073.995 Ext. Coolant (20mm)
 • Type I Axial
 • OD Tool Holder
 • Axial Left Hand Offset
 • Rectangular Transverse
 • Available in 1"



7.077.312 Ext. Coolant (1")
7.074.003 Ext. Coolant (25mm)
 • Type II Axial
 • OD Tool Holder
 • Radial Right Hand / Left Hand
 • Rectangular Transverse


Don't see what you need? More tooling available on our website.



7.075.930 Ext. Coolant (1")
7.074.001 Ext. Coolant (25mm)
 • Double OD Tool Holder
 • Axial, Multiple Rectangular Transverse




7.076.328 Ext. Coolant (20mm)
 • Quad OD Tool Holder
 • Multiple Rectangular Transverse




7.075.280 Ext. Coolant (20mm)
 • Dual Offset OD Tool Holder
 • Y-Axis




7.077.314 - (1 1/2")
7.074.000 - (40mm)
 • Single Boring Bar Holder
 • Right Hand / Left Hand
 • External & Internal Coolant




7.075.615
 • Steel Blanking Plate




7.077.310 - (3/4")
7.074.054 - (20mm)
 • Double Boring Bar Holder
 • Right Hand / Left Hand
 • External & Internal Coolant




7.077.206 Ext / Int Coolant
 • Cut-off Tool Holder
 • Axial, Right Hand / Left Hand
 • System Iscar and Coromant




7.074.067 - (40mm)
 • Single Boring Bar Holder
 • Right Hand / Left Hand
 • Extended Version
 • External & Internal Coolant
 • Available in 1 1/2"




7.077.600 External Coolant
7.077.605 Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight, CC
 • **Compacto C3** (PSC32)




7.077.610 External Coolant
7.077.614 Internal Coolant
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C3** (PSC32)




7.077.612 External Coolant (TT)
7.077.616 Internal Coolant (TT)
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C3** (PSC32)




7.076.760 - Right Hand
7.077.242 - Left Hand
 • Face Tool Holder
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.077.770 - Right Hand (TT)
 • Face Tool Holder
 • Extended Version
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.077.503 - Right Hand
7.077.504 - Left Hand
 • Dual Face Tool Holder
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.076.745 - Right Hand
7.077.223 - Left Hand
 • OD Tool Holder
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.077.555 - Right Hand
7.077.556 - Left Hand
 • OD Tool Holder
 • Flush Mount Version
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.077.500 - Right Hand
7.077.508 - Left Hand
 • Dual OD Tool Holder
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.077.509 - Right Hand
7.077.510 - Left Hand
 • Quad OD Tool Holder
 • External / Internal Coolant
 • **Compacto C3** (PSC32)




7.073.240 External Coolant
7.073.364 Internal Coolant
 • Drilling and Milling Head
 • Axial, Collet Chuck, ER32, CC
 • **PRECIFLEX®**




7.073.271 External Coolant (P300)
7.073.365 Internal Coolant (P300)
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER32, CC
 • **PRECIFLEX®**




7.073.282 External Coolant
7.073.366 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER32, CC
 • **PRECIFLEX®**




7.073.283 External Coolant
7.073.367 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER32, Offset, CC
 • **PRECIFLEX®**




7.073.608 External Coolant
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER20, CC
 • **PRECIFLEX®**




7.073.505 External Coolant
 • Drilling and Milling Head
 • Radial, Double Sided
 • Collet Chuck, ER32
 • **PRECIFLEX®**




7.076.650 External Coolant
 • Drilling and Milling Head
 • Dual Axial, Y-Axis Offset
 • Collet Chuck, ER25, CC
 • **PRECIFLEX®**



7.077.350 External Coolant
 • Device for Gear Hobbing
 • Cutter Arbor Ø22mm
 • Angular Adjustable ±20°
 • Ratio : 1:1; 5000RPM, CC
 • Torque : 25Nm




7.077.308 Ext. Coolant (1")
7.074.010 Ext. Coolant (25mm)
 • Type I Axial
 • OD Tool Holder
 • Axial, Left Hand Offset Rectangular Transverse




7.077.306 Ext. Coolant (1")
7.074.017 Ext. Coolant (25mm)
 • Type II Axial
 • OD Tool Holder
 • Radial, Right Hand / Left Hand Rectangular Transverse




7.078.117 Ext. Coolant (1")
7.074.015 Ext. Coolant (25mm)
 • Double OD Tool Holder
 • Axial, Multiple Rectangular Transverse



7.077.304 - (1 1/2")
7.074.030 - (40mm)
 • Single Boring Bar Holder
 • Right Hand / Left Hand
 • External & Internal Coolant
 • Puma 300



7.077.300 - (1 1/2")
7.074.065 - (40mm)
 • Single Boring Bar Holder
 • Right Hand / Left Hand
 • Extended Version
 • External & Internal Coolant



7.077.302 - (1")
7.074.035 - (25mm)
 • Double Boring Bar Holder
 • Right Hand / Left Hand
 • External & Internal Coolant




7.076.022 Ext. Coolant (20mm)
 • Dual Offset OD Tool Holder
 • Y-Axis




7.076.228 Ext. Coolant (20mm)
 • Quad OD Tool Holder
 • Multiple Rectangular Transverse

BMT65
 - Puma 300 / 2100 / 2600 / 3100
 - Puma MX2000 / MX2500 / MX2600
 - Puma TT2000 / 2500
 - Puma VT450
 - Puma V400

Cont. of BMT65




- 7.075.950** Ext / Int Coolant
 • Cut-off Tool Holder
 • Axial, Right Hand / Left Hand
 • System Iscar and Coromant




7.076.640 External Coolant


- 7.077.618** Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight, CC
 • **Compacto C4** (PSC40)




- 7.077.620** External Coolant (P300)
7.077.622 Internal Coolant (P300)
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C4** (PSC40)




- 7.076.915** External Coolant
7.077.624 Internal Coolant
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C4** (PSC40)



- 7.076.775** - Right Hand
7.077.513 - Left Hand
 • Face Tool Holder
 • External / Internal Coolant
 • **Compacto C4** (PSC40)



- 7.077.110** - Right Hand
7.077.245 - Left Hand
 • OD Tool Holder
 • Extended Version
 • External / Internal Coolant
 • **Compacto C4** (PSC40)




- 7.077.523** - Right Hand
7.077.524 - Left Hand
 • OD Tool Holder
 • Double Version
 • External / Internal Coolant
 • **Compacto C4** (PSC40)



- 7.076.755** - Right Hand
7.077.200 - Left Hand
 • OD Tool Holder
 • Internal Coolant
 • **Compacto C4** (PSC40)



- 7.077.558** - Right Hand
7.077.559 - Left Hand
 • OD Tool Holder
 • Flush Mount Version
 • External / Internal Coolant
 • **Compacto C4** (PSC40)




- 7.076.772** - Right Hand
7.077.234 - Left Hand
 • OD Tool Holder
 • Double Version
 • External / Internal Coolant
 • **Compacto C4** (PSC40)




- 7.077.520** - Right Hand
7.077.521 - Left Hand
 • Quad OD Tool Holder
 • External / Internal Coolant
 • **Compacto C4** (PSC40)

BMT75


- Puma 400 / 480
 - Puma 500
 - Puma 4100
 - Puma 5100
 - Puma V550
 - Puma VT750




- 7.073.245** External Coolant
7.073.369 Internal Coolant
 • Drilling and Milling Head
 • Axial, Collet Chuck, ER40, CC
 • **PRECI-FLEX®**




- 7.073.275** External Coolant
7.073.370 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER40, CC
 • **PRECI-FLEX®**



- 7.073.340** External Coolant
7.073.341 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER40, CC
 • 90mm Centerline
 • **PRECI-FLEX®**



- 7.073.609** External Coolant
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER32, CC
 • **PRECI-FLEX®**




- 7.074.632** Ext. Coolant (25mm)
 • Type I Axial
 • OD Tool Holder
 • Axial, Left Hand Offset
 • Rectangular Transverse
 • Available in in 1"




- 7.074.628** Ext. Coolant (25mm)
 • Type II Axial
 • OD Tool Holder
 • Radial Right Hand / Left Hand
 • Rectangular Transverse
 • Available in in 1"




- 7.074.637** Ext / Int Coolant
 • Boring Bar Holder
 • Right Hand / Left Hand
 • 60mm Bore
 • Available in in 2 1/2"




- 7.077.625** External Coolant
7.077.626 Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight, CC
 • **Compacto C5** (PSC50)




- 7.077.628** External Coolant
7.077.630 Internal Coolant
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C5** (PSC50)



- 7.077.596** - Right Hand
7.077.597 - Left Hand
 • Face Tool Holder
 • External / Internal Coolant
 • **Compacto C5** (PSC50)




- 7.077.592** - Right Hand
7.077.593 - Left Hand
 • OD Tool Holder
 • External / Internal Coolant
 • **Compacto C5** (PSC50)




- 7.077.594** - Right Hand
7.077.595 - Left Hand
 • OD Tool Holder
 • Flush Mount Version
 • External / Internal Coolant
 • **Compacto C5** (PSC50)

BMT85


- Puma 600 / 700 / 800
 - Puma VT1100
 - Puma VT900




- 7.073.250** External Coolant
7.073.371 Internal Coolant
 • Drilling and Milling Head
 • Axial, Collet Chuck, ER50, CC
 • **PRECI-FLEX®**



- 7.073.277** External Coolant
7.073.372 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER50, CC
 • **PRECI-FLEX®**




- 7.073.330** External Coolant
7.073.561 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand / Left Hand
 • Collet Chuck, ER50, CC, VT1100
 • **PRECI-FLEX®**




- 7.073.610** External Coolant
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER32, CC
 • **PRECI-FLEX®**




- 7.074.550** Ext. Coolant (32mm)
 • Type I Axial
 • OD Tool Holder
 • Axial Left Hand Offset
 • Rectangular Transverse
 • Available in in 1 1/4"




- 7.074.630** Ext. Coolant (32mm)
 • Type II Axial
 • OD Tool Holder
 • Radial Right Hand / Left Hand
 • Rectangular Transverse
 • Available in in 1 1/4"




- 7.074.635** Ext / Int Coolant
 • Boring Bar Holder
 • Right Hand / Left Hand
 • 80mm Bore
 • Available in Inch



- 7.079.454** External Coolant
7.078.885 Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight, CC
 • **Compacto C5** (PSC50)



- 7.079.452** External Coolant
7.078.880 Internal Coolant
 • Drilling and Milling Head
 • Radial, RH - LH, CC
 • **Compacto C5** (PSC50)



- 7.077.598** - Right Hand
 • OD Tool Holder
 • External / Internal Coolant
 • **Compacto C6** (PSC63)

Don't see what you need? More tooling available on our website.