




EXSYS[®] EPPINGER


Tooling Catalog




Supermill (90er Rev.)




- 7.074.020 External Coolant**
7.074.025 Internal Coolant
 • Drilling and Milling Head
 • Axial Collet Chuck, ER32
 • PRECI-FLEX®




- 7.073.950 External Coolant**
7.073.985 Internal Coolant
 • Drilling and Milling Head
 • Radial, Left Hand - Right Hand
 • Collet Chuck, ER32
 • PRECI-FLEX®




- 7.074.870 External Coolant**
 • Drilling and Milling Head
 • Radial, Double Sided
 • Collet Chuck, ER32
 • PRECI-FLEX®




- 7.074.875 External Coolant**
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER20
 • PRECI-FLEX®



- 7.075.645 External Coolant**
 • Drilling and Milling Head
 • Dual Axial, Left Hand-Right Hand offset
 • Collet Chuck, ER20
 • PRECI-FLEX®




- 7.075.545 External Coolant**
 • Device for Gear
 • Cutter Arbor Ø19,05 (3/4"),
 • Angular Adjustable ±20°




- 7.075.445 External / Internal Coolant**
 • Boring Bar Holder
 • Left Hand - Right Hand
 • 40mm Bore




- 7.075.436 External Coolant**
 • OD Turning Tool Holder
 • 25mm Shank




- 7.075.446 External Coolant**
 • Double OD Turning Tool Holder
 • Main and Sub
 • 25mm Shank



- 7.075.505 External Coolant**
 • Cut-off Tool Holder
 • Axial, Left Hand - Right Hand
 • System Iscar and Coromant




- 7.077.784 External Coolant**
7.077.785 Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight
 • Compacto C4 (PSC40)




- 7.077.786 External Coolant**
7.077.788 Internal Coolant
 • Drilling and Milling Head
 • Radial / LH - RH
 • Compacto C4 (PSC40)




- 7.076.910 RH**
7.077.225 LH
 • OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.076.920 RH**
7.077.252 LH
 • Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.076.930 RH**
7.077.237 LH
 • Double OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.076.935 RH**
7.078.410 LH
 • Double Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 4.200.938 External Coolant**
4.200.985 Internal Coolant
 • Drilling and Milling Head
 • Axial Collet Chuck, ER32
 • PRECI-FLEX®




- 213.015.240 - 5/16"**
213.015.241 - 3/8"
213.015.242 - 1/2"
213.015.243 - 5/8"
213.015.244 - 3/4"
213.015.245 - 1"
213.015.246 - 1-1/4"
213.015.247 - 1-1/2"
213.015.248 - 1-5/8"
213.015.249 - 1-3/4"
213.015.250 - 2"
213.015.150 - 8mm
213.015.151 - 10mm
213.015.152 - 12mm
213.015.153 - 16mm
213.015.154 - 20mm
213.015.155 - 25mm
213.015.156 - 30mm
213.015.157 - 32mm
213.015.158 - 40mm
 • Boring Bar Holder
 • External & Internal Coolant



- 213.120.250 - Cutter Down**
213.125.250 - Cutter Up
 • OD Turning Tool Holder
 • External Coolant
 • 1" (25.4mm) Shank




- 213.100.250 - Short**
223.100.250 - Long
 • OD Turning Tool Holder
 • External Coolant
 • 1" (25.4mm) Shank




- 213.500.150 - Steel Plug**


TW10 / WT20 / WT20 II SC150 / SC250 / WT150 / WT250




- 7.076.810 External Coolant**
7.076.838 Internal Coolant
 • Drilling and Milling Head, CC
 • Axial, Mono Collet Chuck, ER25
 • PRECI-FLEX®




- 7.076.825 External Coolant**
7.076.842 Internal Coolant
 • Drilling and Milling Head, CC
 • Radial, Left Hand - Right Hand
 • Collet Chuck, ER25
 • PRECI-FLEX®




- 7.072.290 External Coolant**
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER20
 • PRECI-FLEX®




- 7.076.842 External Coolant**
 • Drilling and Milling Head, Radial
 • Double Sided Collet Chuck, ER25
 • Compensation Clutch (CC)
 • PRECI-FLEX®




- 7.075.810 External Coolant**
 • Drilling and Milling Head
 • Axial, Offset, -Y Collet Chuck, ER20
 • PRECI-FLEX®



- 7.071.629 External / Internal Coolant**
 • Boring Bar Holder
 • Main and Sub
 • 32mm Bore




- 7.071.950 External Coolant**
 • Double Boring Bar Holder
 • Main and Sub
 • 25mm Bore




- 7.071.601 External Coolant**
 • Face Turning Tool Holder
 • Left Hand / Right Hand
 • 20mm Shank



- 7.071.590 External Coolant**
 • OD Turning Tool Holder
 • 20mm Shank




- 7.078.988 External Coolant**
 • Cut-off Tool Holder
 • Axial, Left Hand - Right Hand
 • System Iscar and Coromant




- 7.078.230 External Coolant**
7.078.228 Internal Coolant
 • Drilling and Milling Head
 • Radial / LH - RH
 • Compacto C3 (PSC32)


Don't see what you need? More tooling available on our website

TW10 / WT20 / WT20 II
SC150 / SC250 / WT150 / WT250 (Cont.)



- 7.076.795 RH**
7.077.224 LH
 • OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.074.220 External Coolant**
 • Face Turning Tool Holder
 • Left Hand / Right Hand
 • 1" (25.4mm) Shank




- 7.078.412 RH**
7.078.414 LH
 • Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.074.270 External Coolant**
 • Double OD Turning Tool Holder
 • Main and Sub
 • 1" (25.4mm) Shank




- 7.077.216 RH**
7.077.236 LH
 • Double OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.072.562 External / Internal Coolant**
 • Cut-off Tool Holder
 • Axial, Left Hand - Right Hand
 • System Iscar and Coromant




- 7.077.168 RH**
7.078.411 LH
 • Double Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.078.250 External Coolant**
7.078.252 Internal Coolant
 • Drilling and Milling Head
 • Axial, Straight
 • Compacto C4 (PSC40)




- 7.077.915 External Coolant**
 • Drilling and Milling Head
 • Radial, Left Hand - Right Hand
 • Collet Chuck, ER20
 • Centerline : 75mm
 • PRECI-FLEX®




- 7.072.575 External Coolant**
 • Drilling and Milling Head
 • Radial, Double Sided
 • Collet Chuck, ER20
 • PRECI-FLEX®




- 7.078.014 External Coolant**
 • Drilling and Milling Head
 • Dual Axial
 • Collet Chuck, ER16
 • PRECI-FLEX®




- 7.074.795 External Coolant**
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER16
 • PRECI-FLEX®

TW20 / WT300 / SC300 / Super NTX



- 7.072.107 External Coolant**
7.072.121 Internal Coolant
 • Drilling and Milling Head
 • Axial, Mono Collet Chuck, ER32
 • PRECI-FLEX®




- 7.078.254 External Coolant**
7.078.255 Internal Coolant
 • Drilling and Milling Head
 • Radial / LH - RH
 • Compacto C4 (PSC40)




- 7.078.700 Ext / Int Coolant**
 • Boring Bar Holder
 • Main and Sub
 • 40mm Bore




- 7.072.106 External Coolant**
7.072.120 Internal Coolant
 • Drilling and Milling Head
 • Radial, Left Hand - Right Hand
 • Collet Chuck, ER32
 • PRECI-FLEX®




- 7.078.415 RH**
7.078.417 LH
 • OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.074.220 External Coolant**
 • OD Turning Tool Holder
 • 20mm Shank




- 7.072.545 External Coolant**
 • Drilling and Milling Head
 • Radial, Double Sided Collet Chuck, ER32
 • PRECI-FLEX®




- 7.078.421 RH**
7.078.423 LH
 • Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.072.624 External Coolant**
 • Double OD Turning Tool Holder
 • Main and Sub
 • 20mm Shank




- 7.072.550 External Coolant**
 • Spindle Unit For Side Milling Cutters
 • Radial, Cutter Arbor 22mm




- 7.078.418 RH**
7.078.420 LH
 • Double OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.075.265 Ext / Int Coolant**
 • Cut-off Tool Holder
 • Axial, Left Hand - Right Hand
 • System Iscar and Coromant




- 7.072.540 External Coolant**
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER20
 • PRECI-FLEX®




- 7.072.565 External Coolant**
7.072.605 Internal Coolant
 • Drilling and Milling Head
 • Axial Collet chuck, ER20
 • PRECI-FLEX®




- 7.078.385 RH**
7.078.386 LH
 • OD Turning
 • External / Internal Coolant
 • Compacto C3 (PSC32)




- 7.078.238 25° Degree**
7.078.237 45° Degree
 • Drilling and Milling Head
 • External Coolant
 • Axial, Collet Chuck, ER16




- 7.072.570 External Coolant**
7.072.650 Internal Coolant
 • Drilling and Milling Head
 • Radial, Left Hand - Right Hand
 • Collet Chuck, ER20
 • Centerline : 60mm
 • PRECI-FLEX®



- 7.078.330 RH**
7.078.348 LH
 • Face Turning
 • External / Internal Coolant
 • Compacto C3 (PSC32)




- 7.072.555 Ext / Int Coolant**
 • Boring Bar Holder
 • Main and Sub
 • 40mm Bore




- 7.078.350 RH**
7.078.378 LH
 • Double OD Turning
 • External / Internal Coolant
 • Compacto C3 (PSC32)


Don't see what you need? More tooling available on our website

WTW150 / WTS150 / Super NTJ / NTM3



- 7.076.810 External Coolant**
7.076.838 Internal Coolant
 • Drilling and Milling Head
 • Axial, Mono, CC
 • Collet Chuck, ER25
 • PRECI-FLEX®




- 7.071.905 External Coolant**
7.071.907 Internal Coolant
 • Drilling and Milling Head
 • Radial, Right Hand
 • Collet Chuck, ER25
 • PRECI-FLEX®




- 7.073.225 External Coolant**
 • Drilling and Milling Head
 • Double Radial
 • Collet Chuck, ER25
 • Main / Sub Operation
 • PRECI-FLEX®




- 7.076.495 External Coolant**
 • Drilling and Milling Head
 • Dual Axial, Offset
 • Collet Chuck, ER20
 • PRECI-FLEX®




- 7.072.290 External Coolant**
 • Drilling and Milling Head
 • Axial, Angular Adjustable
 • Collet Chuck, ER20
 • PRECI-FLEX®




- 7.075.810 External Coolant**
 • Drilling and Milling Head
 • Axial, Offset, -Y
 • Collet Chuck, ER20
 • PRECI-FLEX®



- 7.075.445 Ext / Int Coolant**
 • Boring Bar Holder
 • Left Hand - Right Hand
 • 1 1/4" (31.75mm) Bore




- 7.075.442 Ext / Int Coolant**
 • Double Boring Bar Holder
 • Left Hand - Right Hand
 • 25mm Bore




- 7.071.601 External Coolant**
 • Face Turning Tool Holder
 • Left Hand / Right Hand
 • 20mm Shank




- 7.071.590 External Coolant**
 • OD Turning Tool Holder
 • Left Hand Offset
 • 20mm Shank




- 7.073.100 External Coolant**
 • Double OD Turning Tool Holder
 • Main and Sub
 • 20mm Shank




- 7.078.820 External Coolant**
 • Cut-off Tool Holder
 • Axial, Left Hand - Right Hand
 • System Iscar and Coromant




- 7.076.795 RH**
7.077.224 LH
 • OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.078.412 RH**
7.078.414 LH
 • Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)




- 7.077.216 RH**
7.077.236 LH
 • Double OD Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)



- 7.078.411 LH**
 • Double Face Turning
 • External / Internal Coolant
 • Compacto C4 (PSC40)

NTJ100


- 7.079.372 External Coolant**
 • Dual OD Turning Tool Holder
 • 20mm Shank



- 7.079.370 External Coolant**
 • Quad OD Turning Tool Holder
 • 20mm Shank



IF YOU WANT IT SHORTER AND FASTER:

EXSYS COMPACTO™
 Available in C3, C4, C5 and C6
BASE HOLDER



Don't see what you need? More tooling available on our website